


AGS Format Monitoring Data Example

13 - Electrolevel - biaxial (option 1)



Project: Acme Gasworks
 Location: 539320, 179625
 Instrument level: 23.5mOD
 Reference point level: 3.5mOD
 Instrument: EL32

Date	Time	Output A (bits)	Output B (bits)	Rotation A (radians)	Rotation B (radians)	Comments
03/05/1999	11:45	-208	-239	0	0	Base reading
04/05/1999	12:00	-211	-239	-0.000863	0	
05/05/1999	11:45	-215	-239	-0.002015	0	
06/05/1999	11:30	-217	-238	-0.00259	0.000288	
07/05/1999	11:00	-220	-238	-0.003454	0	
08/05/1999	12:45	-221	-239	-0.003742	-0.00029	
09/05/1999	11:45	-222	-239	-0.004029	0	
10/05/1999	11:45	-224	-237	-0.004605	0.000576	
11/05/1999	12:00	-225	-238	-0.004893	-0.00029	
12/05/1999	11:45	-227	-237	-0.005469	0.000288	
13/05/1999	11:30	-230	-234	-0.006332	0.000863	
14/05/1999	11:00	-234	-230	-0.007483	0.001151	
15/05/1999	12:45	-237	-227	-0.008347	0.000863	
16/05/1999	12:00	-238	-225	-0.008635	0.000576	
17/05/1999	11:45	-237	-224	-0.008347	0.000288	
18/05/1999	12:00	-239	-222	-0.008922	0.000576	
19/05/1999	11:45	-239	-221	-0.008922	0.000288	
20/05/1999	11:30	-238	-220	-0.008635	0.000288	
21/05/1999	11:00	-238	-217	-0.008635	0.000863	
22/05/1999	12:45	-239	-215	-0.008922	0.000576	
23/05/1999	12:00	-239	-211	-0.008922	0.001151	
24/05/1999	11:45	-239	-208	-0.008922	0.000863	

AGS Format File (Edition 4)

```
"GROUP","PROJ"  
"HEADING","PROJ_ID","PROJ_NAME","PROJ_LOC","PROJ_CLNT","PROJ_CONT","PROJ_ENG"  
"UNIT","","",""  
"TYPE","ID","X","X","X","X","X"  
"DATA","Prj-AG","Acme Gasworks","Greenwich, London","Acme Enterprises","Acme Monitoring Ltd","Acme Consulting"
```

```
"GROUP","ABBR"  
"HEADING","ABBR_HDNG","ABBR_CODE","ABBR_DESC"  
"UNIT","",""  
"TYPE","X","X","X"  
"DATA","LOCA_TYPE","INST","Instrument"  
"DATA","MONG_TYPE","TMB","Tiltmeter - biaxial"  
"DATA","MOND_TYPE","ANGA","Rotation/tilt in direction A"  
"DATA","MOND_TYPE","ANGB","Rotation/tilt in direction B"
```

```
"GROUP","TRAN"  
"HEADING","TRAN_ISNO","TRAN_DATE","TRAN_PROD","TRAN_STAT","TRAN_DESC","TRAN_AGS","TRAN_RECV"  
"UNIT","","","yyyymm-dd","",""  
"TYPE","X","DT","X","X","X","X"  
"DATA","1","2013-05-01","ACME Monitoring Ltd","Draft","Example biaxial electrolevel monitoring point details and data (Option 1)","4.0","ACME Consulting"
```

```
"GROUP","TYPE"  
"HEADING","TYPE_TYPE","TYPE_DESC"  
"UNIT","",""  
"TYPE","X","X"  
"DATA","ID","Unique identifier"  
"DATA","X","Text"  
"DATA","DT","Date time in international format"  
"DATA","PA","Pick list text field, abbreviations/codes listed in ABBR group"  
"DATA","PU","Pick list text field, abbreviations/codes listed in UNIT group"  
"DATA","XN","Text/numeric field"  
"DATA","ODP","Value, 0 decimal places"  
"DATA","1DP","Value, 1 decimal places"
```

```
"GROUP","UNIT"  
"HEADING","UNIT_UNIT","UNIT_DESC"  
"UNIT","",""  
"TYPE","X","X"  
"DATA","yyyy-mm-dd","day month year"  
"DATA","yyyy-mm-ddThh:mm","day month year hours minutes"  
"DATA","m","metre"  
"DATA","deg","Degrees"  
"DATA","Rad","Radians"
```

```
"GROUP","LOCA"  
"HEADING","LOCA_ID","LOCA_TYPE","LOCA_NATE","LOCA_NATN","LOCA_GL","LOCA_FDEP"  
"UNIT","","m","m","m","m"  
"TYPE","ID","PA","ODP","ODP","1DP","ODP"  
"DATA","EL32","INST","539320","179625","3.5",""
```

```
"GROUP","HORN"  
"HEADING","LOCA_ID","HORN_TOP","HORN_BASE","HORN_ORNT","HORN_INCL"  
"UNIT","","m","m","deg","deg"  
"TYPE","ID","ODP","ODP","ODP","ODP"  
"DATA","EL32","0","0","0","-90"
```

```
"GROUP","MONG"  
"HEADING","LOCA_ID","MONG_ID","MONG_DIS","MONG_DATE","MONG_TYPE","MONG_BRGA","MONG_BRGB","MONG_INCA","MONG_INCB"  
","MONG_RSCA","MONG_RSCB","MONG_CONT"  
"UNIT","","m","","deg","deg","deg","deg"  
"TYPE","ID","X","ODP","DT","PA","ODP","ODP","ODP","ODP","X","X","X"  
"DATA","EL32","EL32","20","1999-04-15","TMB","180","90","0","0","Rotation towards north +ve","Rotation towards east +ve","ACME Monitoring Ltd"
```

```
"GROUP","MOND"  
"HEADING","LOCA_ID","MONG_ID","MONG_DIS","MOND_DTIM","MOND_TYPE","MOND_REF","MOND_RDNG","MOND_UNIT","MOND_CONT"  
","MOND_REM"
```



"UNIT","","","m","yyyy-mm-ddThh:mm","","","","",""

"TYPE","ID","X","ODP","DT","PA","X","XN","PU","X","X"

"DATA","EL32","EL32","20","1999-05-03T11:45","ANGA","1","0","Rad","ACME Monitoring Ltd","Base reading"

"DATA","EL32","EL32","20","1999-05-03T11:45","ANGB","2","0","Rad","ACME Monitoring Ltd","Base reading"

"DATA","EL32","EL32","20","1999-05-04T12:00","ANGA","3","-0.000863","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-04T12:00","ANGB","4","0","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-05T11:45","ANGA","5","-0.002015","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-05T11:45","ANGB","6","0","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-06T11:30","ANGA","7","-0.00259","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-06T11:30","ANGB","8","0.000288","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-07T11:00","ANGA","9","-0.003454","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-07T11:00","ANGB","10","0","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-08T12:45","ANGA","11","-0.003742","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-08T12:45","ANGB","12","-0.00029","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-09T11:45","ANGA","13","-0.004029","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-09T11:45","ANGB","14","0","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-10T11:45","ANGA","15","-0.004605","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-10T11:45","ANGB","16","0.000576","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-11T12:00","ANGA","17","-0.004893","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-11T12:00","ANGB","18","-0.00029","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-12T11:45","ANGA","19","-0.005469","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-12T11:45","ANGB","20","0.000288","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-13T11:30","ANGA","21","-0.006332","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-13T11:30","ANGB","22","0.000863","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-14T11:00","ANGA","23","-0.007483","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-14T11:00","ANGB","24","0.001151","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-15T12:45","ANGA","25","-0.008347","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-15T12:45","ANGB","26","0.000863","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-16T12:00","ANGA","27","-0.008635","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-16T12:00","ANGB","28","0.000576","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-17T11:45","ANGA","29","-0.008347","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-17T11:45","ANGB","30","0.000288","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-18T12:00","ANGA","31","-0.008922","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-18T12:00","ANGB","32","0.000576","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-19T11:45","ANGA","33","-0.008922","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-19T11:45","ANGB","34","0.000288","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-20T11:30","ANGA","35","-0.008635","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-20T11:30","ANGB","36","0.000288","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-21T11:00","ANGA","37","-0.008635","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-21T11:00","ANGB","38","0.000863","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-22T12:45","ANGA","39","-0.008922","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-22T12:45","ANGB","40","0.000576","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-23T12:00","ANGA","41","-0.008922","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-23T12:00","ANGB","42","0.001151","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-24T11:45","ANGA","43","-0.008922","Rad","ACME Monitoring Ltd",""

"DATA","EL32","EL32","20","1999-05-24T11:45","ANGB","44","0.000863","Rad","ACME Monitoring Ltd",""